

(5) 病害虫防除員による調査成績

ア 普通作

(フェロモントラップ調査)

コブノメイガ										ハスモンヨトウ			
長崎市琴海町		諫早市		佐世保市		対馬市		五島市		波佐見町		杵岐市	
調査期間	頭	調査期間	頭	調査期間	頭	調査期間	頭	調査期間	頭	調査期間	頭	調査期間	頭
6/23	3	6/25～29	0	6/24	1	6/12-13	0	6/19～20	0	7/7-13	0	6/2	1
6/24-25	2	6/30～7/4	1	6/25-26	0	6/14-18	0	6/21	0	7/14-21	1	6/3-4	0
6/26-29	1	7/5	2	6/27-29	1	6/19-24	1	6/22	3	7/22-27	4	6/5-6	1
6/30-7/3	1	7/6～7	5	6/30-7/3	1	6/25-28	27	6/23	0	7/28-30	7	6/7-8	1
7/3-6	3	7/8	2	7/4-6	0	6/29-7/3	25	6/24	0	7/31-8/4	5	6/9-10	0
7/7-9	28	7/9	1	7/7-10	2	7/4-8	12	6/25	0	8/5-7	15	6/11-12	0
7/10-13	19	7/10	0	7/11-13	1	7/9-13	14	6/26	0	8/8-10	13	6/13-14	0
7/14-16	3	7/29～8/2	0	7/14-17	1	7/14-18	17	6/27	1	8/11-14	9	6/15-16	0
7/17-21	3	8/2～7	0	7/8-21	3	7/19-23	27	6/29	0	8/15-17	0	6/17-18	0
7/22-24	4	8/8～11	0	7/22-24	5	7/24-28	72	6/30	0	8/18-21	0	6/19-20	0
7/25-27	4	8/12～17	0	7/25-27	5	7/29-8/2	71	7/1	0	8/22-24	1	6/21-22	1
7/28-31	20	8/18～22	0	7/28-31	0	8/3-7	47	7/2	0	8/25-31	9	6/23-24	1
8/1-3	48	8/23～28	0	8/1-3	10	8/8-12	6	7/3	0	9/1-4	27	6/25-26	0
8/4-7	38		1	8/4	3	8/13-17	7	7/4	0	9/5-7	21	6/27-28	0
8/8-10	17		0	8/5	17	8/18-22	10	7/5	0	9/8-15	22	6/29-30	0
8/11-14	13		0	8/6	9	8/23-27	6	7/6	0	9/16-18	4	7/1-2	0
8/15-17	0		0	8/7	10			7/7	0	9/19-21	15	7/3-6	1
8/18-21	21		0	8/8-10	10			7/8	0	9/22-29	10	7/7-8	0
8/22-24	19		0	8/11-13	6			7/9	0			7/9-10	0
8/25-28	32			8/14-17	0			7/10	0			7/11-14	0
8/29-31	13			8/18-20	6			7/11	0			7/15-20	1
9/1-4	20			8/21-26	0			7/12	0			7/21-25	0
9/5-7	14			8/27-9/1	13			7/13	0			7/26-30	3
9/8-11	24			9/2-7	0			7/14	0				
9/12-15	10			9/8-10	0			7/15	0				
9/16-18	6			9/11-15	7			7/16	0				
9/19-21	14			9/16-18	1			7/17	0				
9/22-25	19							7/18	0				
								7/19	0				
								7/20	0				
								7/21	0				
								7/22	0				
								7/23	0				
								7/24	1				
								7/25	2				
								7/26	4				
								7/27	4				
								7/28	3				
								7/29	1				
								7/30	2				
								7/31	2				
								8/1	2				
								8/2	4				
								8/3	4				
								8/4	3				
								8/5	1				
								8/6	0				
								8/7	2				
								8/8	6				
								8/9	1				
								8/10	0				
								8/11～12	3				
								8/13	1				
								8/14～15	2				
								8/16	0				
								8/17	0				
								8/18-19	4				
								8/20	4				
								8/21	0				
								8/22	29				
								8/23	2				
								8/24	4				
								8/25	4				
								8/26	45				
								8/27	5				
								8/28	3				
								8/29-30	5				
								8/31	3				
								9/1	14				
								9/2	1				
								9/3	0				
								9/4	1				
								9/5	2				
								9/6-7	3				
								9/8	1				
								9/9	2				
								9/10	3				
								9/11	5				
								9/12	7				

							9/13-14	22				
							9/15	10				
							9/16	6				
							9/17	7				
							9/18	4				
							9/19	6				
							9/20	4				
							9/21	5				
							9/22-23	24				
							9/24	8				
							9/25	11				
							6/26	9				
							9/27	10				
							9/28	8				
							9/29	5				

注) 数値は調査期間内に誘殺されたトラップ1基当たりの雄成虫数

イ ばれいしょ(春作)

数値は管内の発生概況(5段階評価:多(5)、やや多(4)、並(3)、やや少(2)、少(1))

調査時期		調査地		葉巻病		モザイク病		青枯病		疫病		アブラムシ類		ニジュウヤホシテントウ	
年	月	区数		最高	平均	最高	平均	最高	平均	最高	平均	最高	平均	最高	平均
08	4	1		1	1.0	1	1.0	1	1.0	1	1.0	2	2.0	1	1.0
	5	1		3	3.0	3	3.0	3	3.0	3	3.0	3	3.0	3	3.0

調査時期		調査地		ジャガイモガ		ヨウムシ類		そうか病(いも)	
年	月	区数		最高	平均	最高	平均	最高	平均
08	4	1		1	1.0	1	1.0	-	-
	5	1		3	3.0	3	3.0	3	3.0

ウ ばれいしょ(秋作)

数値は管内の発生概況(5段階評価:多(5)、やや多(4)、並(3)、やや少(2)、少(1))

調査時期		調査地		葉巻病		モザイク病		青枯病		疫病		アブラムシ類		ニジュウヤホシテントウ	
年	月	区数		最高	平均	最高	平均	最高	平均	最高	平均	最高	平均	最高	平均
08	10	1		-	-	-	-	-	-	-	-	-	-	-	-
	11	1		3	3.0	3	3.0	3	3.0	3	3.0	3	3.0	3	3.0
	12	1		-	-	-	-	-	-	-	-	-	-	-	-

調査時期		調査地		ジャガイモガ		ヨウムシ類		そうか病(いも)	
年	月	区数		最高	平均	最高	平均	最高	平均
08	10	1		-	-	4	4.0	-	-
	11	1		3	3.0	4	4.0	-	-
	12	1		-	-	-	-	1	1.0

エ トマト

数値は管内の発生概況(5段階評価:多(5)、やや多(4)、並(3)、やや少(2)、少(1))

調査時期		調査地		黄化葉巻病		モザイク病		青枯病		萎凋病類		疫病		葉かび病	
年	月	地区数		最高	平均	最高	平均	最高	平均	最高	平均	最高	平均	最高	平均
08	11	1		2	2.0	-	-	-	-	-	-	-	-	-	-
	12	2		3	2.0	1	1.0	1	1.0	1	1.0	3	3.0	3	3.0
09	1	1		3	3.0	1	1.0	1	1.0	1	1.0	3	3.0	4	4.0
	2	1		3	3.0	1	1.0	1	1.0	1	1.0	4	3.5	4	4.0
	3	1		3	3.0	1	1.0	1	1.0	1	1.0	5	4.0	4	4.0

調査時期		調査地		アブラムシ類		コナジラミ類		ハモグリバエ類		灰色かび病(果実)		タバコガ類(果実)	
年	月	地区数		最高	平均	最高	平均	最高	平均	最高	平均	最高	平均
08	11	0		-	-	1	1.0	-	-	-	-	3	3.0
	12	1		2	2.0	3	2.0	3	3.0	3	3.0	2	2.0
09	1	1		2	2.0	3	3.0	3	3.0	3	2.0	2	2.0
	2	1		2	2.0	3	3.0	3	3.0	3	3.0	2	2.0
	3	1		2	2.0	3	3.0	3	3.0	4	3.5	2	2.0

オ いちご苗床

数値は管内の発生概況(5段階評価:多(5)、やや多(4)、並(3)、やや少(2)、少(1))

調査時期		調査 地区数	炭疽病		葉枯炭疽病		萎黄病		うどんこ病		輪斑病	
年	月		最高	平均	最高	平均	最高	平均	最高	平均	最高	平均
08	5	5	3	3	3	3	3	3	3	3	3	3
	6	4	3	2.2	3	2	3	2	5	3.2	3	2.4
	7	6	3	3	3	2	3	2	4	4	4	4
	8	3	4	2	3	2	3	0	4	3	3	3
	9	6	4	3	2	2	2	0	3	2	4	3

調査時期		調査 地区数	ハスモンヨトウ		アブラムシ類		ハダニ類	
年	月		最高	平均	最高	平均	最高	平均
08	5	4	3	3	3	3	4	4
	6	4	4	2.4	3	2.6	4	2.6
	7	6	3	3	3	3	4	3
	8	3	4	3	3	2	4	3
	9	6	3	3	3	3	3	2

カ いちご本圃

数値は管内の発生概況(5段階評価:多(5)、やや多(4)、並(3)、やや少(2)、少(1))

(ア) 葉

調査時期		調査 地区数	炭疽病		うどんこ病		萎黄病		ハスモンヨトウ		アブラムシ類		ハダニ類	
年	月		最高	平均	最高	平均	最高	平均	最高	平均	最高	平均	最高	平均
08	10	4	3	2	3	3	3	2	4	3	4	3	4	3
	11	4	3	3	4	3	4	3	4	4	4	3	4	3
	12	4	3	2	4	4	4	2	3	2	3	3	4	4
09	1	4	3	2	4	3	3	2	4	3	4	4	4	4
	2	3	3	1.7	4	3	3	2	3	1.7	4	3.3	4	3.7
	3	4	3	2	3	3	3	2	3	3	4	3.5	4	4

(イ) 果実

調査時期		調査 地区数	うどんこ病		灰色かび病		菌核病		タバコガ類		アザミウマ類	
年	月		最高	平均	最高	平均	最高	平均	最高	平均	最高	平均
08	10	4	-	-	-	-	-	-	-	-	-	-
	11	4	3	2	4	3	3	2	4	3	4	3
	12	4	4	3	4	3	3	2	4	3	3	3
09	1	4	4	4	4	4	3	3	3	2	3	3
	2	3	4	3.3	5	4.7	5	4	3	2	4	2.3
	3	4	4	3.3	5	4.3	4	3.3	3	2.3	4	3.5

キ 野菜花き フェロモントラップ調査

ハスモンヨトウ (ばれいしょ)				オオタバコガ					
雲仙市 千々石町		南島原市 南有馬町		佐世保市 崎岡		大村市 福重		雲仙市吾妻町	
								三室	永中
6/2	設置	6/9	設置	4/1	設置	4/1	設置	3/31	設置
6/9	33	6/16	157	4/8	1	4/8	2	4/9	0
6/15	145	6/23	115	4/15	9	4/15	1	4/15	1
6/23	121	6/30	102	4/23	5	4/28	7	4/30	5
6/30	129	7/7	58	4/30	8	5/7	10	5/7	10
7/8	102	7/14	102	5/8	18	5/13	5	5/13	14
7/22	173	7/24	172	5/14	8	5/20	5	5/20	21
7/28	89	7/28	47	5/22	8	5/27	12	5/29	16
8/4	68	8/4	96	5/28	2	6/3	15	6/3	27
8/11	104	8/12	138	6/3	5	6/10	20	6/10	10
8/25	119	8/18	106	6/9	5	6/17	8	6/18	18
9/2	67	8/25	151	6/17	0	6/25	22	6/25	8
9/8	127	9/2	87	6/24	0	7/4	14	7/2	8
9/16	137	9/8	114	7/2	49	7/9	29	7/10	42
9/24	125	9/16	175	7/9	6	7/15	15	7/16	28
9/29	104	9/24	168	7/17	4	7/22	19	7/23	12
10/6	176	10/1	192	7/22	23	7/29	12	7/29	2
10/15	264	10/7	279	7/29	8	8/5	10	8/6	5
10/20	241	10/14	225	8/6	0	8/12	17	8/13	4
10/28	152	10/21	136	8/12	0	8/20	20	8/20	20
11/4	184	10/27	91	8/20	22	8/28	3	8/26	34
11/10	108	11/6	154	8/26	4	9/2	4	9/2	12
11/19	198			9/2	3	9/9	3	9/11	5
				9/9	6	9/15	6	9/18	134
				9/17	40			9/24	8
				9/22	15			10/1	2
				9/30	6			10/6	0
				10/7	6			10/14	70
				10/15	60			10/23	27
				10/21	10			11/4	3
				10/31	74			11/11	2
				11/5	54			11/19	3
				11/11	50			11/25	0
				11/18	36			12/2	0
				11/26	47				
				12/4	11				

ク 野菜花きアザミウマ類 粘着トラップ (青)

調査 月日	長浦1 (アスハラそば)				長浦2 (ハウスミカンそば)				調査 月日	諫早1 (予察圃)				諫早2 (農試花き科)			
	ネギ'	ヒラス'	ミカン キロ	その他	ネギ'	ヒラス'	ミカン キロ	その他		ネギ'	ヒラス'	ミカン キロ	その他	ネギ'	ヒラス'	ミカン キロ	その他
3/7	設置				設置				3/12	設置				設置			
3/12	0	0	0	0	0	0	0	0	3/17	0	0	0	0	0	0	0	0
3/17	0	0	0	0	0	0	0	0	3/25	0	0	0	0	0	0	0	1
3/24	0	0	0	0	0	0	2	0	4/2	0	0	0	0	0	0	0	0
4/3	0	0	0	0	0	0	2	0	4/8	0	0	0	0	6	0	0	1
4/8	2	0	0	1	0	0	1	0	4/15	0	0	0	0	1	0	0	0
4/16	2	0	0	0	0	0	1	0	4/22	12	0	0	0	0	0	0	0
4/23	21	0	2	0	0	0	1	0	4/29	13	3	0	4	7	0	1	6
4/28	4	0	1	0	3	0	0	0	5/8	68	2	0	5	27	6	0	10
5/8	113	9	4	6	15	5	8	7	5/14	7	1	0	3	6	0	0	0
5/15	3	0	1	4	2	1	0	4	5/21	38	3	0	24	20	9	1	17
5/21	24	2	7	16	7	1	1	8	5/28	91	4	0	57	25	36	0	39
5/28	39	48	9	47	63	6	12	6	6/4	79	9	0	47	13	21	0	43
6/4	5	2	0	17	5	4	0	4	6/12	32	3	0	88	3	9	0	81
6/12	7	2	0	3	6	15	0	29	6/18	51	7	0	413	4	6	0	86
6/19	11	27	3	30	6	6	0	6	6/26	7	5	0	250	5	83	0	219
6/26	1	14	1	62	2	10	4	10	7/3	38	3	0	21	9	1	2	8
7/3	27	3	2	5	3	0	0	2	7/10	4	0	0	7	1	1	0	0
7/11	3	1	0	8	0	1	0	1	7/17	2	1	0	5	0	1	0	4
7/17	2	6	0	1	0	0	0	0	7/24	6	3	0	2	2	1	0	0
7/25	5	4	0	3	1	1	0	1	8/1	2	1	1	1	0	2	0	6
7/31	0	0	0	0	0	2	0	1	8/7	3	2	0	11	0	0	0	1
8/6	2	3	3	3	2	0	1	1	8/14	0	1	1	9	0	0	0	4
8/14	3	1	0	9	1	0	0	0	8/20	2	0	0	4	0	0	0	10
8/20	3	1	4	11	0	0	0	1	8/28	0	0	0	5	2	0	0	10
8/28	0	3	1	0	0	0	0	1	8/31	0	0	0	1	0	0	0	2
9/4	0	0	0	0	0	1	0	3	9/5	0	0	0	2	0	0	0	0
9/11	0	0	0	5	0	0	0	0	9/12	0	4	0	1	0	3	0	11
9/17	1	0	0	14	2	0	0	0	9/19	1	1	0	21	0	0	0	38
									9/26	0	0	0	22	0	0	0	60

ケ 果樹カメムシ類フェロモントラップ調査

	諫早市多良見町			南島原市有家町			西海市西彼町		
調査時期 (月・旬)	チャバネ アオカメムシ	ツヤアオ カメムシ	合 計	チャバネ アオカメムシ	ツヤアオ カメムシ	合 計	チャバネ アオカメムシ	ツヤアオ カメムシ	合 計
4. 1	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0
4	0	0	0	2	0	2	0	0	0
5	0	0	4	3	0	3	0	0	0
6	4	0	4	1	0	1	0	0	0
5. 1	8	2	10	8	0	8	24	10	34
2	20	3	23	93	0	93	2	1	3
3	0	0	0	48	6	54	1	0	1
4	0	0	0	49	9	58	2	0	2
5	3	0	3	24	7	31	5	5	10
6	12	5	17	98	21	119	2	5	7
6. 1	4	2	6	138	29	167	1	3	4
2	3	0	3	149	12	161	7	0	7
3	0	0	0	34	2	36	9	0	9
4	45	0	45	48	6	54	19	0	19
5	5	0	5	42	7	46	12	1	13
6	10	0	10	31	0	31	3	0	3
7. 1	39	0	39	36	0	36	25	0	25
2	9	0	9	18	1	19	28	0	28
3	9	0	9	9	0	9	14	0	14
4	0	0	0	8	0	8	8	0	8
5	2	0	2	15	0	15	6	0	6
6	3	0	3	5	0	5	3	0	3
8. 1	11	0	11	3	0	3	4	0	4
2	3	0	3	34	0	34	4	0	4
3	19	0	19	51	0	51	25	0	25
4	9	0	9	56	0	56	10	1	11
5	7	1	8	82	0	82	14	1	15
6	1	0	1	79	0	79	11	0	11
9. 1	37	0	37	28	0	28	24	0	24
2	31	0	31	131	9	140	12	0	12
3	7	2	9	55	4	59	70	17	87
4	20	2	22	67	8	75	38	19	57
5	12	3	15	41	17	58	51	13	64
6	1	2	3	25	11	36	19	4	23