セジロウカ、トビロウカ、ヒメトビウカ、コブノメイガの誘殺状況(2022年)

月・日	セジロウカ						トビロウカ						ヒメトビウカ						コブノメイガ	
	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早	
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	フェロモン トラップA	フェロモン トラップB
5/1	0	0	0				0	0	0				0	0	0					
5/2	0	0	0				0	0	0				0	0	0					
5/3	0	0	0				0	0	0				0	0	0					
5/4	0	0	0				0	0	0				0	0	0					
5/5	0	0	0				0	0	0				0	0	0					
5/6	0	0	0				0	0	0				0	0	0					
5/7	0	0	0				0	0	0				0	0	0					
5/8	0	0	0				0	0	0				0	0	0					
5/9	0	0	0				0	0	0				0	0	0					
5/10	0	0	0				0	0	0				0	0	0					
5/11	0	0	0				0	0	0				0	0	0					
5/12	0	0	0				0	0	0				0	0	0					
5/13	0	0	0				0	0	0				0	0	0					
5/14	0	0	0				0	0	0				0	0	0					
5/15	0	0	0				0	0	0				0	2	0					
5/16	0	0	0				0	0	0				0	0	0					
5/17	0	0	0				0	0	0				0	1	0					
5/18	0	0	0				0	0	0				0	2	5					
5/19	0	0	0				0	0	0				0	0	0					
5/20	0	0	0				0	0	0				0	0	0					
5/21	0	0	0				0	0	0				0	1	1					
5/22	0	0	0				0	0	0				0	1	1					
5/23	0	0	0				0	0	0				0	0	0					
5/24	0	0	0				0	0	0				0	0	0					
5/25	0	0	0				0	0	0				0	3	0					
5/26	0	0	0				0	0	0				0	0	0					
5/27	0	0	0				0	0	0				0	1	1					
5/28	0	0	0				0	0	0				0	0	0					
5/29	0	0	0				0	0	0				0	0	0					
5/30	0	0	0				0	0	0				0	0	0					
5/31	0	0	0				0	0	0				0	0	0					
月・日	セジロウカ						トビロウカ						ヒメトビウカ						コブノメイガ	
	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早	
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	フェロモン トラップA	フェロモン トラップB
6/1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6/2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6/3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/5	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
6/6	0	0	0	0	0	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/7	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
6/8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
6/9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
6/10	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	4
6/11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/12	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	4
6/13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/15	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/16	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/17	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
6/18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/19	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0
6/20	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1
6/21	11	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
6/22	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/23	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/24	1	2	1	5	0	0	0	0	0	4	0	2	0	0	0	0	0	0	0	0
6/25	3	1	0	1	0	20	0	0	0	0	0	4	0	0	0	0	0	3	2	1
6/26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/27	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0
6/28	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/29	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/30	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0

※白熱:60W白熱灯(予察灯)
 ※ネット・ネットトラップA:予察圃場横 ・ネットトラップB:防除所横
 ※フェロモントラップA(早期水稲 6/3に設置)、フェロモントラップB(6月3日田植えに6/10に設置)
 ※データ欄の空欄は未調査、-は欠測

月・日	セジロウカ						トビロウカ						ヒメビウカ						コブノメイガ	
	諫早		佐世保	北有馬	岐宿		諫早		佐世保	北有馬	岐宿		諫早		佐世保	北有馬	岐宿		諫早	
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	フェロモン トラップA	フェロモン トラップB
7/1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
7/2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
7/5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/6	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/7	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/8	5	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/9	3	0	0	0	2	14	0	0	0	0	0	0	0	1	0	0	0	0	0	0
7/10	0	0	0	1	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/11	0	0	0	0	0	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/12	0	0	0	0	0	13	0	0	0	0	0	0	0	0	0	0	0	0	1	0
7/13	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
7/14	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
7/15	9	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	3	1
7/16	16	1	0	0	3	19	0	0	0	0	0	0	0	0	0	0	0	1	0	1
7/17	8	0	0	0	3	1	0	0	0	0	0	1	0	0	0	0	0	0	5	5
7/18	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1
7/19	17	0	0	0	189	5	5	0	0	0	6	1	0	0	0	0	0	0	1	3
7/20	28	0	0	5	2	12	0	0	0	0	0	0	2	0	0	0	0	1	0	0
7/21	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0
7/22	3	0	0	0	4	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/23	4	0	0	0	2	4	0	0	0	0	0	0	0	0	0	0	0	0	1	0
7/24	3	0	0	1	12	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/25	28	0	0	0	4	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0
7/26	34	0	0	0	4	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0
7/27	5	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/28	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
7/29	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
7/30	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1
7/31	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
月・日	セジロウカ						トビロウカ						ヒメビウカ						コブノメイガ	
	諫早		佐世保	北有馬	岐宿		諫早		佐世保	北有馬	岐宿		諫早		佐世保	北有馬	岐宿		諫早	
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	フェロモン トラップA	フェロモン トラップB
8/1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/4	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	1	0
8/5	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	5	0
8/6	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0
8/8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	2
8/10	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
8/11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
8/12	0	0	0	0	0	8	0	0	0	0	0	1	0	0	0	0	0	0	3	1
8/13	2	0	0	1	0	7	0	0	0	0	2	0	0	0	0	0	0	0	1	0
8/14	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/15	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
8/16	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
8/17	0	0	0	1	0	73	0	0	0	0	13	0	0	0	0	0	0	0	0	0
8/18	0	0	0	0	17	18	0	0	0	1	1	0	0	0	0	0	0	0	5	1
8/19	1	0	0	0	2	7	0	0	0	1	1	0	0	0	0	0	0	0	2	0
8/20	10	0	0	1	4	43	1	0	0	0	1	9	0	0	0	0	1	5	3	0
8/21	16	1	0	0	24	47	1	0	0	0	1	1	0	0	0	0	0	4	1	0
8/22	1	0	0	0	2	50	0	0	0	0	0	0	0	0	0	0	0	8	0	0
8/23	12	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0
8/24	10	0	1	-	11	193	0	0	0	-	0	3	0	0	0	0	150	3	0	0
8/25	0	0	3	-	1	34	0	0	0	-	0	2	0	0	0	0	0	2	0	0
8/26	0	0	1	-	2	0	0	0	0	-	1	0	0	0	0	0	0	1	1	0
8/27	0	0	1	-	1	0	0	0	0	-	2	0	0	0	0	0	0	9	2	0
8/28	0	2	0	-	6	0	0	0	0	-	0	0	1	0	0	0	0	2	0	0
8/29	2	0	0	-	0	0	0	0	0	-	1	0	0	0	0	0	0	12	0	0
8/30	0	0	0	-	2	0	0	0	0	-	3	0	0	0	0	0	0	8	0	0
8/31	0	0	0	1	4	1	0	1	0	0	1	0	0	0	0	-	0	8	0	0

※白熱:60W白熱灯(予察灯)
 ※ネット・ネットトラップA:予察圃場横 ・ネットトラップB:防除所横
 ※フェロモントラップA(5/17植え早期水稲に設置、7/6に普通期水稲(6/21植え)に移動)、フェロモントラップB(6/4植え 普通期水稲に設置)
 ※データ欄の空欄は未調査、-は欠測

月・日	セジロウシカ						トビイロウシカ						ヒメトビウシカ						コブノメイガ	
	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	フェロモン トラップA	フェロモン トラップB
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱		
9/1	0	1	0	0	1	4	0	0	0	0	1	0	0	0	0	0	0	0	6	0
9/2	0	0	0	0	1	37	0	0	0	0	0	10	0	0	0	0	0	11	5	0
9/3	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	1	0
9/4	0	0	0	0	1	3	0	0	0	0	0	0	0	0	0	0	0	0	15	0
9/5	0	-	-	0	1	0	0	-	-	0	0	0	0	-	-	0	0	0	-	-
9/6	3	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9/7	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
9/8	0	0	0	0	0	3	0	0	0	0	0	5	0	0	0	0	0	0	8	1
9/9	0	0	0	0	0	20	0	0	3	0	0	2	0	0	0	0	0	0	7	0
9/10	0	0	0	0	0	25	0	0	3	0	0	13	0	0	0	0	0	0	9	0
9/11	0	0	0	0	4	20	0	0	0	0	2	17	0	0	0	0	0	1	5	1
9/12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0
9/13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0
9/14	0	0	0	0	2	0	0	0	0	0	4	0	0	0	0	0	2	0	1	0
9/15	0	0	0	1	0	1	0	0	0	0	1	1	0	0	0	0	0	0	2	0
9/16	0	終了	終了	0	0	0	0	終了	終了	0	0	2	0	終了	終了	0	0	0	終了	終了
9/17	0			0	0	0	0			0	0	1	0			0	0	0	0	0
9/18	0			0	-	1	0			0	-	0	0			0	-	0	0	0
9/19	0			0	-	0	0			0	-	0	0			0	-	0	0	0
9/20	0			0	-	0	0			0	-	0	0			0	-	0	0	0
9/21	0			0	2	1	1			0	0	11	0			0	0	0	0	0
9/22	0			0	2	0	0			0	6	0	0			0	0	0	0	0
9/23	0			0	0	0	0			0	1	0	0			0	0	0	0	0
9/24	0			0	0	0	0			0	0	1	0			0	0	0	0	0
9/25	0			0	2	0	0			0	16	1	0			0	0	0	0	0
9/26	0			0	1	1	0			0	6	7	0			0	0	0	0	0
9/27	1			0	1	0	0			0	1	0	0			0	0	0	0	0
9/28	0			0	0	0	1			0	3	0	0			0	0	0	0	0
9/29	0			0	0	0	0			0	0	0	0			0	0	0	0	0
9/30	0			0	0	0	1			0	0	1	0			0	0	0	0	0

※白熱: 60W白熱灯(予察灯)

※ネット: ネットトラップA: 予察圃場横 ・ネットトラップB: 防除所横

※フェロモントラップA(5/17植え早期水稲に設置、7/6に普通期水稲(6/21植え)に移動)、フェロモントラップB(6/4植え 普通期水稲に設置)

※データ欄の空欄は未調査、-は欠測