

(3) 予察灯並びにトラップによる誘殺成績

a ウンカ類(セジロウンカ、トビイロウンカ、ヒメビウンカ)、コブノメイガ (2017年調査)

月	半旬	セジロウンカ					トビイロウンカ					ヒメビウンカ					コブノメイガ	
		諫早		佐世保	北有馬	岐宿	諫早		佐世保	北有馬	岐宿	諫早		佐世保	北有馬	岐宿	予察圃(諫早)	
		白熱	ネット	白熱	白熱	白熱	白熱	ネット	白熱	白熱	白熱	白熱	ネット	白熱	白熱	白熱	早期	普通期
4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4	0	0	—	—	—	0	0	—	—	—	0	0	—	—	—	—	—
	5	0	0	—	—	—	0	0	—	—	—	0	0	—	—	—	—	—
	6	0	0	—	—	—	0	0	—	—	—	0	0	—	—	—	—	—
5	1	0	2	—	—	—	0	0	—	—	—	0	0	—	—	—	—	—
	2	0	0	—	—	—	0	0	—	—	—	0	0	—	—	—	—	—
	3	0	0	—	—	—	0	0	—	—	—	0	0	—	—	—	—	—
	4	0	0	—	—	—	0	0	—	—	—	0	0	—	—	—	—	—
	5	0	0	—	—	—	0	0	—	—	—	0	0	—	—	—	—	—
	6	0	0	—	—	—	0	0	—	—	—	0	2	—	—	—	0	—
6	1	4	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	—
	2	7	0	1	0	0	3	0	0	1	0	0	0	0	0	0	0	1
	3	20	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	—
	4	151	6	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2
	5	468	3	0	56	3	4	0	0	0	0	3	0	0	0	0	0	61
	6	135	—	0	3	4	1	—	0	0	0	3	—	0	0	0	0	66
7	1	4	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	7
	2	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13
	3	104	4	4	0	5	2	0	0	0	0	0	0	0	0	0	0	—
	4	323	0	1	0	14	1	0	0	0	0	7	1	0	0	0	0	1
	5	40	2	1	0	3	0	0	0	0	0	9	0	0	0	0	0	0
	6	25	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	11
8	1	25	1	0	0	3	0	0	0	0	0	0	0	0	0	0	0	20
	2	9	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	6
	3	70	1	0	3	0	0	0	0	0	0	1	0	0	0	0	0	3
	4	15	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	3
	5	10	0	3	0	0	0	0	0	1	0	3	0	0	0	0	0	7
	6	23	62	3	8	7	0	0	0	0	0	4	8	0	2	4	—	27
9	1	30	0	0	0	6	0	0	0	0	0	5	0	0	0	1	—	44
	2	29	13	0	5	1	4	3	0	27	0	4	6	0	0	0	—	34
	3	63	3	1	56	7	12	0	0	38	4	2	0	0	2	1	—	22
	4	9	—	0	0	1	1	—	0	0	2	0	—	0	0	0	—	—
	5	17	—	0	0	4	17	—	0	0	9	2	—	0	0	0	—	—
	6	20	—	3	0	1	8	—	0	0	0	1	—	0	0	0	—	—
10	1	4	—	—	—	—	7	—	—	—	—	1	—	—	—	—	—	—
	2	0	—	—	—	—	29	—	—	—	—	0	—	—	—	—	—	—
	3	0	—	—	—	—	9	—	—	—	—	0	—	—	—	—	—	—
	4	0	—	—	—	—	488	—	—	—	—	1	—	—	—	—	—	—
	5	0	—	—	—	—	136	—	—	—	—	5	—	—	—	—	—	—
	6	0	—	—	—	—	77	—	—	—	—	11	—	—	—	—	—	—
合計	1608	97	18	133	65	801	3	0	67	15	63	18	0	4	6	150	178	

b ハスモンヨトウ、オオタバコガ、ナシヒメシクイ、チャノコカクモンハマキ、チャノホソガ、チャノキイロアザミウマ (2017年調査)

月	半旬	ハスモンヨトウ		オオタバコガ		ナシヒメシクイ		チャノコカクモンハマキ		チャノホソガ		チャノキイロアザミウマ	
		諫早 (フェロモントラップ)		諫早 (フェロモントラップ)		諫早 (フェロモントラップ)		東彼杵 (フェロモントラップ)		東彼杵 (フェロモントラップ)		諫早 (黄色粘着トラップ)	
		2017	平年	2017	平年	2017	平年	2017	平年	2017	平年	2017	平年
4	1	0	1.1	0	1.1	14	13.0	1	3.4	7	325.8	2	1.1
	2	1	25.9	1	0.9	27	15.2	8	16.0	10	782.0	3	2.0
	3	8	20.3	0	0.8	20	10.1	3	27.4	6	799.6	4	0.4
	4	34	21.1	4	0.9	10	3.7	37	44.4	178	335.6	1	0.5
	5	34	15.4	2	1.3	1	1.4	50	69.0	184	293.6	1	1.2
	6	12	13.6	4	1.4	0	1.8	60	142.2	150	137.0	1	0.9
5	1	0	17.6	2	4.1	3	2.8	67	202.4	135	29.2	0	2.2
	2	15	42.9	3	5.8	1	2.6	93	278.4	12	13.2	3	3.1
	3	44	35.8	1	7.9	5	2.8	76	184.8	5	2.0	7	5.9
	4	20	50.3	5	5.0	13	3.5	53	73.0	19	5.0	4	7.6
	5	8	47.5	1	6.1	26	6.3	50	46.8	20	564.0	3	6.4
	6	13	50.0	0	2.3	33	18.0	16	18.0	611	2057.4	4	10.8
6	1	4	35.9	0	3.3	30	13.4	3	3.4	1764	2859.4	16	17.2
	2	98	42.8	1	2.4	12	15.2	10	7.2	1136	2602.8	105	22.8
	3	33	66.4	0	2.8	22	10.8	42	28.2	1302	1261.2	53	34.5
	4	37	51.5	0	3.8	5	7.7	198	65.6	1543	460.0	52	37.9
	5	54	76.8	3	8.8	26	8.1	370	227.8	478	209.0	74	23.0
	6	53	97.4	8	7.4	18	16.1	410	334.0	239	122.2	42	31.4
7	1	17	96.8	1	17.4	24	14.9	482	296.0	91	179.0	11	24.3
	2	15	77.5	0	8.0	49	17.3	285	103.6	181	700.0	27	14.1
	3	29	91.9	0	3.6	47	16.7	68	30.8	1109	770.4	21	16.6
	4	43	80.4	0	0.8	43	17.7	6	11.2	1597	796.4	47	25.7
	5	47	74.0	0	0.3	83	14.6	11	31.4	696	228.4	9	29.8
	6	54	83.4	0	0.5	44	15.5	87	109.8	316	253.4	5	31.6
8	1	60	85.8	0	5.8	19	14.2	37	162.8	62	751.4	14	42.3
	2	58	77.6	0	0.8	25	15.1	213	142.4	125	1535.4	16	40.1
	3	53	80.6	1	0.9	12	18.0	22	164.8	888	2194.0	28	44.6
	4	19	67.8	0	0.5	16	17.9	11	87.0	1582	1707.2	19	27.6
	5	37	94.8	0	0.5	22	15.2	4	22.2	673	594.8	15	34.1
	6	84	162.0	0	1.8	9	17.8	11	15.2	446	345.0	26	26.1
9	1	67	109.6	0	4.9	12	12.7	20	22.8	110	400.6	13	26.3
	2	81	91.1	1	10.9	13	19.2	125	94.4	172	1833.8	15	28.5
	3	245	82.4	1	5.0	8	17.1	125	243.8	277	1953.8	12	19.5
	4	94	144.4	1	7.8	29	15.5	104	401.2	889	2235.0	13	19.6
	5	86	105.8	2	10.0	13	17.5	99	311.6	643	2741.0	5	10.4
	6	254	109.4	9	8.3	47	12.5	74	351.6	774	1382.2	4	14.8
10	1	222	200.4	6	22.3	26	10.8	29	70.2	427	662.2	-	-
	2	71	131.8	0	12.9	5	5.3	70	38.4	430	239.0	-	-
	3	172	129.4	3	34.5	2	5.6	17	18.6	455	281.6	-	-
	4	225	75.4	33	18.1	1	1.6	0	30.4	102	511.8	-	-
	5	84	99.6	20	23.5	1	2.2	1	29.75	54	255.5	-	-
	6	78	162.4	10	20.1	1	0.7	0	12.2	130	536.6	-	-
11	1	83	98.5	2	15.0	-	-	-	-	-	-	-	-
	2	87	152.0	6	31.3	-	-	-	-	-	-	-	-
	3	38	145.0	2	17.4	-	-	-	-	-	-	-	-
	4	1	97.9	1	9.1	-	-	-	-	-	-	-	-
	5	0	63.3	1	9.9	-	-	-	-	-	-	-	-
	6	0	28.9	0	3.4	-	-	-	-	-	-	-	-
合計		2,872	3,811	135	370	817	468	3,448	4,574	20,028	35,948	675	685

* チャノコカクモンハマキ、チャノホソガは農林技術開発センター茶業研究室の調査
 平年値はハスモンヨトウ、オオタバコガは2007～2016年(最大・小除く)
 ナシヒメシクイ・チャノキイロアザミウマは2007～2016年、チャノコカクモンハマキ・チャノホソガは2011～2016年の平均

c カメムシ類

(2017年調査)

月	半旬	クモヘリカメムシ				ホソハリカメムシ				シラホシカメムシ				アカスジカスミカメ			
		諫早	北有馬	佐世保	岐宿	諫早	北有馬	佐世保	岐宿	諫早	北有馬	佐世保	岐宿	諫早	北有馬	佐世保	岐宿
		白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱
4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
	5	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	1	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
	2	0	-	-	-	0	-	-	-	0	-	-	-	2	-	-	-
	3	0	-	-	-	0	-	-	-	0	-	-	-	1	-	-	-
	4	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
	5	0	-	-	-	0	-	-	-	0	-	-	-	11	-	-	-
	6	0	-	-	-	0	-	-	-	0	-	-	-	6	-	-	-
6	1	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	3	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0
	4	0	5	0	0	0	0	0	0	0	0	0	0	1	42	0	0
	5	0	0	0	0	0	0	0	0	0	0	0	0	4	6	0	0
	6	0	0	0	1	0	0	0	1	0	0	0	0	1	12	0	675
7	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	351
	2	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0	307
	3	0	1	0	0	0	1	0	2	0	0	0	0	3	14	0	599
	4	0	0	0	0	0	0	0	0	0	0	0	0	1	24	1	299
	5	0	4	0	4	0	2	0	0	0	0	0	0	1	31	1	181
	6	1	4	0	4	0	0	0	0	0	0	0	0	0	79	0	56
8	1	0	3	0	0	0	1	0	0	0	0	0	0	0	36	3	11
	2	0	0	0	0	0	0	0	1	0	0	0	0	0	22	0	21
	3	0	0	0	0	0	0	0	1	0	0	0	0	0	33	0	44
	4	0	7	1	1	0	0	0	3	0	0	0	0	0	18	0	2
	5	0	6	0	0	0	1	0	0	0	0	0	0	0	12	0	17
	6	1	5	1	0	0	0	0	0	0	0	0	0	2	1	0	6
9	1	0	1	0	0	0	0	0	0	0	0	0	0	0	4	0	1
	2	1	0	0	0	0	0	0	0	0	0	0	0	1	3	0	10
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14
	4	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	23
	5	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	5
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	5
10	1	0	-	-	-	0	-	-	-	0	-	-	-	1	-	-	-
	2	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
	3	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
	4	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
	5	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
	6	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
合計		3	36	3	10	0	5	0	8	0	0	0	0	40	352	6	2627

(2017年調査)

月	半旬	チャバネアオカメムシ						ツヤアオカメムシ						マルホシヒラタヤドリハエ	
		諫早			北有馬	佐世保	岐宿	諫早			北有馬	佐世保	岐宿	諫早	
		白熱	青色	黄色 コガネコル	白熱	白熱	白熱	白熱	青色	黄色 コガネコル	白熱	白熱	白熱	黄色 コガネコル	
4	1	0	-	0	-	-	-	0	-	0	-	-	-	0	
	2	0	-	0	-	-	-	0	-	0	-	-	-	0	
	3	0	-	0	-	-	-	0	-	0	-	-	-	1	
	4	0	-	6	-	-	-	0	-	0	-	-	-	3	
	5	0	-	0	-	-	-	0	-	0	-	-	-	10	
	6	0	-	2	-	-	-	0	-	1	-	-	-	7	
5	1	0	-	9	-	-	-	4	-	0	-	-	-	11	
	2	2	-	6	-	-	-	0	-	1	-	-	-	3	
	3	0	-	7	-	-	-	1	-	1	-	-	-	22	
	4	0	-	3	-	-	-	0	-	1	-	-	-	12	
	5	0	-	10	-	-	-	0	-	0	-	-	-	8	
	6	0	-	6	-	-	-	0	-	0	-	-	-	19	
6	1	0	-	36	0	0		0	-	1	0	0		16	
	2	0	-	5	0	0		0	-	0	0	0		8	
	3	0	-	27	0	0		1	-	0	0	0		12	
	4	0	-	64	4	0		0	-	0	2	0		15	
	5	2	-	79	2	0		0	-	0	4	0		12	
	6	0	-	105	6	0	0	0	-	0	2	0	12	13	
7	1	0	6	150	3	0	1	0	1	0	3	0	8	3	
	2	0	0	43	0	0	0	0	1	0	0	0	2	5	
	3	0	0	3	0	0	0	0	1	0	0	0	1	0	
	4	1	0	1	0	0	0	0	0	0	0	0	0	1	
	5	0	0	0	1	0	0	0	0	0	1	0	0	0	
	6	1	0	1	0	0	0	0	1	0	0	0	0	0	
8	1	0	0	3	0	2	0	0	1	0	0	0	3	0	
	2	0	0	5	1	0	0	0	1	0	0	0	7	0	
	3	1	5	0	13	0	9	0	0	0	1	0	17	0	
	4	2	8	2	41	4	9	0	1	0	3	1	8	0	
	5	7	17	3	181	37	217	1	0	0	4	8	50	0	
	6	4	4	2	126	21	31	2	0	0	8	4	3	3	
9	1	1	0	17	23	9	8	0	0	0	2	1	0	2	
	2	1	6	53	18	31	28	0	0	1	2	4	2	0	
	3	0	3	12	9	16	80	0	1	0	2	7	30	0	
	4	8	3	73	9	21	112	4	4	7	6	9	154	0	
	5	2	10	84	54	19	33	4	15	15	69	13	48	0	
	6	0	8	86	63			1	6	4	52			3	
10	1	1	17	132	-	-	-	2	14	12	-	-	-	4	
	2		13	400	-	-	-		11	78	-	-	-	1	
	3			44	-	-	-			4	-	-	-	1	
	4			0	-	-	-			0	-	-	-	2	
	5			0	-	-	-			0	-	-	-	2	
	6			8	-	-	-			0	-	-	-	2	
合計		33	100	1487	554	160	528	20	58	126	161	47	345	201	