

セジロウンカ、トビロウンカ、ヒメトビウンカ、コブメイガの誘殺状況(平成27年)

月・日	セジロウンカ					トビロウンカ					ヒメトビウンカ					コブメイガ		
	諫早		佐世保	北有馬	岐宿	諫早		佐世保	北有馬	岐宿	諫早		佐世保	北有馬	岐宿	諫早	生息量(頭/10m ²)	フェロモントラップ
	白熱	ネット	白熱	白熱	白熱	白熱	ネット	白熱	白熱	白熱	白熱	ネット	白熱	白熱	白熱			
5/1	0	0				0	0				0	0						
5/2	0	0				0	0				0	0						
5/3	0	0				0	0				0	0						
5/4	0	0				0	0				0	0						
5/5	0	0				0	0				0	0						
5/6	0	0				0	0				0	0						
5/7	0	0				0	0				0	0						
5/8	0	0				0	0				0	0						
5/9	0	0				0	0				0	0						
5/10	0	0				0	0				0	0						
5/11	0	0				0	0				0	0						
5/12	0	0				0	0				0	0						
5/13	0	0				0	0				0	0						
5/14	0	0				0	0				0	0						
5/15	1	0				0	0				0	0						
5/16	0	0				0	0				0	0						
5/17	0	0				0	0				0	0						
5/18	2	0				0	0				0	0						
5/19	0	0				0	0				0	3						
5/20	0	0				0	0				0	0						
5/21	0	2				0	0				0	2						
5/22	0	0				0	0				0	0						
5/23	0	0				0	0				0	0						
5/24	0	1				0	0				0	0						
5/25	0	1				0	0				0	0				設置		
5/26	0	0				0	0				0	9				0	0	
5/27	0	0				0	0				0	0				0	0	
5/28	0	0				0	0				0	0				0	0	
5/29	0	0				0	0				0	6				0	0	
5/30	5	0				0	0				0	0				0	0	
5/31	0	0				0	0				0	3				0	0	

月・日	セジロウンカ					トビロウンカ					ヒメトビウンカ					コブメイガ	
	諫早		佐世保	北有馬	岐宿	諫早		佐世保	北有馬	岐宿	諫早		佐世保	北有馬	岐宿	フェロモントラップA	フェロモントラップB
	白熱	ネット	白熱	白熱	白熱	白熱	ネット	白熱	白熱	白熱	白熱	ネット	白熱	白熱	白熱		
6/1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/2	36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/3	25	5	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
6/4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
6/5	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/6	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/7	9	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
6/8	33	1	3	0	1	0	0	0	0	0	0	0	0	0	0	1	0
6/9	47	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0
6/10	9	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0
6/11	83	0	0	0	4	0	0	0	0	0	0	0	0	1	0	0	0
6/12	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/13	6	0	0	0	1	0	0	0	0	0	0	0	0	0	0	3	設置
6/14	14	0	0	0	1	0	0	0	0	0	0	0	0	0	0	6	2
6/15	51	0	7	0	0	0	0	0	0	0	0	0	0	0	0	7	0
6/16	2	0	3	0	2	0	0	0	0	0	0	0	0	0	0	7	0
6/17	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
6/18	36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
6/19	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
6/20	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
6/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1
6/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
6/23	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/24	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/25	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/26	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2
6/27	7	0	0	0	0	0	0	0	0	0	1	0	0	0	0	4	4
6/28	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
6/29	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0
6/30	94	-	0	0	0	0	-	0	0	0	0	-	0	0	0	0	1

白熱:60W白熱灯(予察灯)、ネット:ネットトラップ
 フェロモントラップA(4/20植え早期水稲に1個設置)、フェロモントラップB(6/4植え普通期水稲に設置)
 データ欄の空欄は未調査、-は欠測

月・日	セシウツカ					ヒイロツカ					ヒメヒツカ					コノメイカ	
	諫早		佐世保	北有馬	岐宿	諫早		佐世保	北有馬	岐宿	諫早		佐世保	北有馬	岐宿	諫早	
	白熱	ネット	白熱	白熱	白熱	白熱	ネット	白熱	白熱	白熱	白熱	ネット	白熱	白熱	白熱	フェロモントラップA	フェロモントラップB
7/1	102	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	5
7/2	82	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
7/3	42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
7/4	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	7
7/5	10	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	2
7/6	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/7	11	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0
7/8	6	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
7/9	4	0	1	0	0	0	0	0	0	0	7	0	0	0	0	0	0
7/10	1	0	0	1	0	0	0	0	0	0	4	0	0	0	0	1	0
7/11	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
7/12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/13	31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
7/14	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
7/15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
7/16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
7/17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
7/18	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
7/19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/20	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0
7/21	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
7/22	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
7/24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/25	1	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	1
7/26	60	-	0	1	0	0	-	0	0	0	3	-	0	0	0	0	0
7/27	13	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
7/28	30	1	13	0	1	0	0	0	0	0	0	0	0	0	0	0	0
7/29	14	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0
7/30	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/31	5	0	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0
月・日	セシウツカ					ヒイロツカ					ヒメヒツカ					コノメイカ	
	諫早		佐世保	北有馬	岐宿	諫早		佐世保	北有馬	岐宿	諫早		佐世保	北有馬	岐宿	諫早	
	白熱	ネット	白熱	白熱	白熱	白熱	ネット	白熱	白熱	白熱	白熱	ネット	白熱	白熱	白熱	フェロモントラップA	フェロモントラップB
8/1	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/2	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/3	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/4	4	0	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0
8/5	5	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0
8/6	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
8/7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
8/8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/10	4	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	1
8/11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/12	11	0	0	0	1	2	0	0	0	1	0	0	0	0	0	0	0
8/13	9	0	0	0	1	0	0	0	0	0	0	0	0	0	0	2	0
8/14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/15	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/16	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/17	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/18	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
8/19	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
8/20	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0
8/21	13	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/22	1	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
8/23	2	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0
8/24	0	-	1	0	0	0	0	-	0	0	0	-	0	0	0	0	0
8/25	7	1	0	1	0	0	0	0	0	0	1	1	0	0	0	0	0
8/26	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
8/27	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/28	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0
8/29	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/30	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
8/31	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0

白熱: 60W白熱灯(予察灯)、ネット: ネットトラップ
フェロモントラップA (4/20植え早期水稲に1個設置、7/14より6/16植え普通期水稲に移動)、フェロモントラップB (6/4植え普通期水稲に設置)
データ欄の空欄は未調査、- は欠測

月・日	セイロウカ					ヒイロウカ					ヒメヒロウカ					コノメイカ	
	諫早		佐世保	北有馬	岐宿	諫早		佐世保	北有馬	岐宿	諫早		佐世保	北有馬	岐宿	諫早	
	白熱	ネット	白熱	白熱	白熱	白熱	ネット	白熱	白熱	白熱	白熱	ネット	白熱	白熱	白熱	フェロモントラップA	フェロモントラップB
9/1	1	0	0	3	0	0	0	0	0	0	0	0	0	0	0	1	0
9/2	0	0	2	0	0	0	0	0	0	1	0	0	0	0	0	0	1
9/3	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
9/4	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
9/5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14
9/6	2	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0
9/7	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
9/8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9/9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9/10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9/11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9/12	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
9/13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9/14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9/15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9/16	0	終了			0	0	終了			0	0	終了			0	終了	終了
9/17	0				0	0				0	0				0		
9/18	0				0	0				0	0				0		
9/19	0				0	0				0	0				0		
9/20	0				0	0				0	0				0		
9/21	0				0	0				0	0				0		
9/22	0				0	0				0	0				0		
9/23	0				0	0				0	0				0		
9/24	8				0	0				0	0				0		
9/25																	
9/26																	
9/27																	
9/28																	
9/29																	
9/30																	

白熱: 60W白熱灯(予察灯)、ネット: ネットトラップ
フェロモントラップA(4/20植え早期水稻に1個設置、7/14より6/16植え普通期水稻に移動)、フェロモントラップB(6/4植え普通期水稻に設置)
データ欄の空欄は未調査、- は欠測