

セジロウカ、トビロウカ、ヒメトビウカ、コブノメイガの誘殺状況(平成29年)

月・日	セジロウカ						トビロウカ						ヒメトビウカ						コブノメイガ		
	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早	生息量(頭/10㎡)	フェロモントラップ
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱			
5/1	0	0	0				0	0	0				0	0	0						
5/2	0	0	0				0	0	0				0	0	0						
5/3	0	0	0				0	0	0				0	0	0						
5/4	0	0	0				0	0	0				0	0	0						
5/5	0	0	0				0	0	0				0	0	0						
5/6	0	0	0				0	0	0				0	0	0						
5/7	0	0	0				0	0	0				0	0	0						
5/8	0	0	0				0	0	0				0	0	0						
5/9	0	0	0				0	0	0				0	0	0						
5/10	0	0	0				0	0	0				0	0	0						
5/11	0	0	0				0	0	0				0	0	0						
5/12	0	0	0				0	0	0				0	0	0						
5/13	0	0	0				0	0	0				0	0	0						
5/14	0	0	0				0	0	0				0	0	0						
5/15	0	0	0				0	0	0				0	0	0						
5/16	0	0	0				0	0	0				0	0	0						
5/17	0	0	0				0	0	0				0	0	0						
5/18	0	0	0				0	0	0				0	1	0						
5/19	0	0	0				0	0	0				0	0	0						
5/20	0	0	0				0	0	0				0	0	0						
5/21	0	0	0				0	0	0				0	0	0						
5/22	0	0	0				0	0	0				0	0	0						
5/23	0	0	0				0	0	0				0	0	0						
5/24	0	0	0				0	0	0				0	0	0						
5/25	0	1	2				0	0	0				0	4	1						
5/26	0	0	0				0	0	0				0	0	0						
5/27	0	0	0				0	0	0				0	1	1						
5/28	0	0	0				0	0	0				0	3	0						
5/29	0	0	0				0	0	0				0	1	3						
5/30	0	0	0				0	0	0				0	0	0						
5/31	0	0	0				0	0	0				0	0	0						
月・日	セジロウカ						トビロウカ						ヒメトビウカ						コブノメイガ		
	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早	フェロモントラップA	フェロモントラップB
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱			
6/1	0	0	0	0			0	0	0	0			0	0	3	0				0	
6/2	0	0	0	0			0	0	0	0			0	5	2	0				0	
6/3	0	0	0	0			0	0	0	0			0	4	1	0				0	
6/4	0	0	0	0			0	0	0	0			0	5	1	0				0	
6/5	0	0	0	0			0	0	0	0			0	0	0	0				0	
6/6	0	0	0	1			0	0	0	0			0	0	0	0				0	
6/7	7	0	0	0			0	0	0	0			3	66	20	0				0	
6/8	0	0	0	0			0	0	0	0			0	42	44	0				0	
6/9	-	0	0	0			-	0	0	0			-	38	19	0				0	
6/10	-	0	0	0			-	0	0	0			-	0	0	0				0	
6/11	-	0	0	0			-	0	0	0			-	6	7	0				0	
6/12	-	0	0	0	0		-	0	0	0	0		-	0	0	0	0			0	
6/13	-	0	0	0	0		-	0	0	0	0		-	0	0	0	0			0	
6/14	-	0	0	0	0		-	0	0	0	0		-	0	0	0	0			0	0
6/15	0	0	0	0	0		0	0	0	0	0		0	0	0	0	0			0	0
6/16	0	0	0	0	0		0	0	0	0	0		0	0	1	0	0			0	0
6/17	0	0	0	0	0		0	0	0	0	0		0	0	0	0	0			0	0
6/18	0	0	0	0	0		0	0	0	0	0		0	0	1	0	0			0	0
6/19	0	0	0	0	0		0	0	0	0	0		0	0	0	0	0			0	0
6/20	1	0	0	0	0		0	0	0	0	0		0	-	-	0	0			0	0
6/21	0	0	0	0	0		0	0	0	0	0		0	0	0	0	0			3	0
6/22	0	0	0	0	0		0	0	0	0	0		0	0	0	0	0			1	0
6/23	2	0	0	0	0		0	0	0	0	0		0	0	0	0	0			0	0
6/24	4	0	0	0	0		0	0	0	0	0		0	0	0	0	0			2	0
6/25	6	0	0	0	0		0	0	0	0	0		0	0	0	0	0			2	0
6/26	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0		32	0
6/27	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0		20	0
6/28	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0		11	0
6/29	0	1	0	0	0	0	0	0	0	0	0		0	1	0	0	0	0		0	0
6/30	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0		0	0

白熱: 60W白熱灯(予察灯)

ネット・ネットトラップA: 予察圃場横 ・ネットトラップB: 防除所横

フェロモントラップA(4/21植え早期水稲に設置)、フェロモントラップB(6/2植え普通期水稲に設置)

データ欄の空欄は未調査、- は欠測

月・日	セロウカ						ビロウカ						ヒメビロウカ						コノメイ	
	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早	
	白熟	ネットA	ネットB	白熟	白熟	白熟	白熟	ネットA	ネットB	白熟	白熟	白熟	白熟	ネットA	ネットB	白熟	白熟	白熟	フェロモントラップA	フェロモントラップB
7/1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/3	0	-	-	0	0	0	0	-	-	0	0	0	0	-	-	0	0	0	-	-
7/4	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/5	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0
7/6	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2	0
7/7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
7/8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/10	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
7/11	0	0	0	1	0	0	2	0	0	0	0	2	0	0	0	0	0	3	0	0
7/12	1	1	0	1	0	1	3	0	0	0	0	0	0	0	0	0	0	4	0	0
7/13	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0	0
7/14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
7/15	0	0	0	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	2	0
7/16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
7/17	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	1
7/18	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
7/19	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	4	0	0
7/20	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0
7/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
7/23	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	3	2	2
7/24	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
7/25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
7/26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0
7/27	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
7/28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2
7/29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0
7/30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0
7/31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

月・日	セロウカ						ビロウカ						ヒメビロウカ						コノメイ	
	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早	
	白熟	ネットA	ネットB	白熟	白熟	白熟	白熟	ネットA	ネットB	白熟	白熟	白熟	白熟	ネットA	ネットB	白熟	白熟	白熟	フェロモントラップA	フェロモントラップB
8/1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0
8/3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0
8/4	0	-	-	0	0	0	0	-	-	0	0	0	-	-	0	0	0	0	-	-
8/5	0	-	-	0	0	0	0	-	-	0	0	0	-	-	0	0	1	-	-	-
8/6	0	-	-	0	0	0	0	-	-	0	0	0	-	-	0	0	0	0	-	-
8/7	0	1	0	0	0	0	0	0	1	0	0	0	2	4	0	0	0	2	0	0
8/8	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
8/9	12	0	0	0	0	6	1	0	0	0	5	0	0	0	0	0	0	2	11	0
8/10	53	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/11	6	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	2
8/12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1
8/13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8	0	0
8/14	3	0	0	0	0	3	1	0	0	0	0	1	0	0	0	0	0	0	1	0
8/15	5	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/16	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/17	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
8/18	1	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	4	5	0
8/19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1
8/20	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0	0
8/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	0
8/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
8/24	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0
8/25	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0
8/26	3	0	0	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	5	0
8/27	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
8/28	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0
8/29	3	2	0	0	0	6	4	0	0	0	0	0	0	0	0	0	0	0	4	0
8/30	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0
8/31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0

白熟: 60W白熟灯(予察灯)
ネット・ネットトラップA: 予察圃場横 ・ネットトラップB: 防除所横
フェロモントラップA(4/21植え早期水稲に設置)、フェロモントラップB(6/2植え普通期水稲に設置)
データ欄の空欄は未調査、- は欠測

月・日	セシロウカ						ヒロウカ						ヒトヒロウカ						アノイカ	
	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早	
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	フェロモントラップA	フェロモントラップB
9/1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
9/2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0
9/3	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0
9/4	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	13	0
9/5	0	0	0	0	0	0	1	0	0	0	1	6	0	0	0	0	0	0	4	0
9/6	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	1	0
9/7	26	0	0	0	0	1	8	0	0	0	0	4	0	0	0	0	0	0	0	0
9/8	5	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
9/9	1	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	4	0
9/10	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	16	2
9/11	0	0	0	1	0	0	0	2	0	25	0	12	0	1	0	0	0	0	5	1
9/12	4	0	0	0	0	0	5	0	0	0	0	6	1	1	0	0	0	0	5	1
9/13	0	0	0	0	0	1	1	0	0	4	0	2	0	0	0	0	0	1	8	0
9/14	19	1	0	0	0	4	1	1	0	0	0	3	0	0	0	0	0	2	5	6
9/15	0	-	-	0	0	1	0	-	-	0	0	1	0	-	-	0	0	0	-	-
9/16	0	終了	終了	0	0	0	0	終了	終了	0	1	0	0	終了	終了	0	0	0	終了	終了
9/17	0			0	0	0	0			0	0	0	0			0	0	0	3	
9/18	0			0	0	1	0			0	0	0	1			0	0	0	0	
9/19	0			0	0	1	4			0	0	2	1			0	0	1		
9/20	2			0	0	1	0			0	0	1	0			0	0	0		
9/21	5			0	0	2	1			0	0	2	0			0	0	0		
9/22	1			0	0	0	0			0	0	0	0			0	0	0		
9/23	0			0	0	0	0			0	0	0	0			0	0	0		
9/24	0			0	0	0	0			0	0	0	0			0	0	0		
9/25	0			0	0	1	0			0	0	0	0			0	0	0		
9/26	8			1	0	0	3			0	0	0	0			0	0	0		
9/27	0			2	1	2	0			1	0	0	0			0	10	0		
9/28	1			0	0	0	0			0	0	0	0			0	0	0		
9/29	0			0	0	0	0			0	0	0	1			0	0	0		
9/30	0			0	0	0	0			0	0	0	0			0	0	0		

白熱: 60W白熱灯(予察灯)
 ネット・ネットトラップA: 予察圃場横 → ネットトラップB: 防除所横
 フェロモントラップA (4/21植え早期水稻に設置)、フェロモントラップB (6/2植え普通期水稻に設置)
 データ欄の空欄は未調査、- は欠測