

セジロウンカ、トビロウンカ、ヒメトビウンカ、コブノメイガの誘殺状況(平成30年)

月・日	セジロウンカ						トビロウンカ						ヒメトビウンカ						コブノメイガ		
	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早		
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	諫早	生息量(頭/10m)	フェロモントラップ
5/1		0	0					0	0					0	0						
5/2		0	0					0	0					0	0						
5/3		0	0					0	0					0	0						
5/4		0	0					0	0					0	0						
5/5		0	0					0	0					0	0						
5/6		1	0					0	0					0	0						
5/7		0	0					0	0					0	0						
5/8		0	0					0	0					0	0						
5/9		0	0					0	0					0	0						
5/10		0	0					0	0					0	0						
5/11		0	0					0	0					0	0						
5/12		0	0					0	0					0	0						
5/13		0	0					0	0					0	0						
5/14		0	0					0	0					0	0						
5/15		0	0					0	0					0	0						
5/16		0	0					0	0					0	0						
5/17		0	0					0	0					0	0						
5/18		0	0					0	0					0	0						
5/19		0	0					0	0					0	0						
5/20		0	0					0	0					1	0						
5/21		-	0					-	0					-	0						
5/22		0	0					0	0					0	0						
5/23		0	0					0	0					0	0						
5/24		0	0					0	0					1	0						
5/25		0	0					0	0					0	1						
5/26		0	0					0	0					0	0						
5/27		0	0					0	0					2	1						
5/28		0	0					0	0					0	0						
5/29		0	0					0	0					0	3						
5/30		0	0					0	0					0	0						
5/31		0	0					0	0					2	0						
月・日	セジロウンカ						トビロウンカ						ヒメトビウンカ						コブノメイガ		
	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早		
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	フェロモントラップA	フェロモントラップB	
6/1		0	0	0	0	0		0	0	0	0	0		0	9	0	0	0	0	0	
6/2		0	0	0	0	0		0	0	0	0	0		1	1	0	0	0	0	0	
6/3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	
6/4	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	
6/5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
6/6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/9	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	0	0	0	0	
6/10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	
6/12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/13	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/19	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	
6/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	12	0	
6/23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	
6/24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/26	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/29	2	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6/30	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	

白熱: 60W白熱灯(予察灯)
 ネット・ネットトラップA: 予察圃場横 ・ネットトラップB: 防除所横
 フェロモントラップA(4/20植え早期水稲に設置)、フェロモントラップB(6/1植え 普通期水稲に設置)
 データ欄の空欄は未調査、- は欠測

月・日	セジロウカ						トビロウカ						ヒメトビウカ						コブノメイガ	
	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早	
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	フェロモン トラップA	フェロモン トラップB
7/1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/2	0	-	-	0	0	0	0	-	-	0	0	0	0	-	-	0	0	0	0	0
7/3	0	-	-	0	0	0	0	-	-	0	0	0	0	-	-	0	0	0	0	1
7/4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
7/5	1	2	0	2	0	0	0	0	0	0	0	0	2	0	0	0	0	0	1	0
7/6	47	-	-	1	0	0	0	-	-	0	0	0	0	-	-	0	0	0	11	1
7/7	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/8	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	4	1
7/9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	4	0
7/11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3	0
7/12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
7/13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/15	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
7/16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
7/20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
7/24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
7/25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
7/27	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0
7/28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	0
7/29	0	-	-	0	0	0	0	-	-	0	0	0	0	-	-	0	0	0	0	0
7/30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

月・日	セジロウカ						トビロウカ						ヒメトビウカ						コブノメイガ	
	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早	
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	フェロモン トラップA	フェロモン トラップB
8/1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
8/2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
8/4	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	4	4	0
8/5	0	3	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	6	0	0
8/6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	0
8/7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
8/8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	1	0
8/9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
8/10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
8/11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
8/13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
8/14	0	-	-	0	0	0	0	-	-	0	0	0	0	-	-	0	0	0	0	0
8/15	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/18	0	1	0	0	0	3	0	0	0	0	0	0	1	0	0	0	0	0	0	0
8/19	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
8/20	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	2	0	0	0
8/21	0	-	0	0	0	1	0	-	0	0	0	0	0	-	0	0	0	0	0	0
8/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
8/23	0	16	1	61	2	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0
8/24	1	0	1	-	7	0	0	0	0	-	0	0	0	0	0	-	1	0	0	0
8/25	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/26	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
8/27	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/28	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/29	1	0	0	90	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
8/30	0	0	0	0	0	2	0	0	0	0	1	0	0	0	0	0	0	1	1	0
8/31	0	0	0	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

白熱: 60W白熱灯(予察灯)
 ネット・ネットトラップA: 予察圃場横 ・ネットトラップB: 防除所横
 フェロモントラップA(4/20植え早期水稲に設置、7/12に普通期水稲(6/18植え)に移動)、フェロモントラップB(6/1植え 普通期水稲に設置)
 データ欄の空欄は未調査、- は欠測

月・日	セジロウカ						トビロウカ						ヒメトビウカ						コブノメイガ		
	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早		
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	フェロモントラップA	フェロモントラップB
9/1	0	0	0	3	0	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9/2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9/3	0	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	0
9/4	0	9	6	0	6	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
9/5	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
9/6	1	0	0	4	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0
9/7	6	0	0	4	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	6	4
9/8	12	0	0	3	6	16	0	0	0	0	0	0	1	0	0	0	0	1	0	21	5
9/9	3	0	0	0	1	3	0	0	0	0	0	0	0	0	0	1	0	0	5	5	0
9/10	1	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	1	-	5	5	0
9/11	4	0	0	0	1	-	0	0	0	0	0	-	0	0	0	0	0	-	6	6	1
9/12	0	0	0	1	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0
9/13	0	0	0	1	4	-	0	0	0	0	0	-	0	0	0	0	0	-	1	1	0
9/14	1	0	0	1	0	-	0	0	0	0	0	-	0	0	0	0	0	-	7	7	0
9/15	0	0	0	3	1	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0
9/16	0	終了	終了	0	0	-	0	終了	終了	0	0	-	0	終了	終了	0	0	-	終了	終了	終了
9/17	5			1	1	0	0			0	0	0	0			0	0	0			
9/18	1			0	0	0	0			0	0	0	0			0	0	0			
9/19	10			0	1	0	0			0	0	0	0			0	0	0			
9/20	21			15	42	0	0			0	0	0	0			1	0	0			
9/21	19			187	49	0	0			0	0	0	0			2	0	0			
9/22	14			1	4	0	0			0	0	0	0			0	0	0			
9/23	5			0	6	0	0			0	0	0	0			0	0	0			
9/24	0			0	0	0	0			0	0	0	0			0	0	0			
9/25	1			0	0	0	0			0	0	0	0			0	0	0			
9/26	1			0	0	0	0			0	0	0	0			0	0	0			
9/27	10			2	48	0	0			0	0	0	0			0	0	0			
9/28	0			3	20	1	0			0	0	1	0			0	0	0			
9/29	0			2	1	0	0			0	0	0	0			0	0	0			
9/30	0			0	0	0	0			0	0	0	0			0	0	0			

白熱: 60W白熱灯(予察灯)

ネット・ネットトラップA: 予察圃場横 ・ネットトラップB: 防除所横

フェロモントラップA (4/20植え早期水稲に設置、7/12に普通期水稲(6/18植え)に移動)、フェロモントラップB (6/1植え 普通期水稲に設置)

データ欄の空欄は未調査、- は欠測