

セジロウカ、トビロウカ、ヒメトビウカ、コブノメイガの誘殺状況(2019年)

月・日	セジロウカ						トビロウカ						ヒメトビウカ						コブノメイガ	
	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早	
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	フェロモン トラップA	フェロモン トラップB
5/1	0	0	0				0	0	0				0	0	0					
5/2	0	0	0				0	0	0				0	0	0					
5/3	0	0	0				0	0	0				0	0	0					
5/4	0	0	0				0	0	0				0	0	0					
5/5	0	0	0				0	0	0				0	0	0					
5/6	0	0	0				0	0	0				0	0	0					
5/7	0	0	0				0	0	0				0	0	0					
5/8	0	0	0				0	0	0				0	0	0					
5/9	0	0	0				0	0	0				0	0	0					
5/10	0	0	0				0	0	0				0	0	0					
5/11	0	0	0				0	0	0				0	0	0					
5/12	0	0	0				0	0	0				0	0	0					
5/13	0	0	0				0	0	0				0	0	0					
5/14	0	0	0				0	0	0				0	0	0					
5/15	0	0	0				0	0	0				0	0	0					
5/16	0	0	0				0	0	0				0	0	0					
5/17	0	0	0				0	0	0				0	0	0					
5/18	0	0	0				0	0	0				0	0	0					
5/19	0	0	0				0	0	0				0	0	0					
5/20	0	0	0				0	0	0				0	0	0					
5/21	0	0	0				0	0	0				0	5	0					
5/22	0	0	0				0	0	0				0	3	2					
5/23	0	0	0				0	0	0				0	0	0					
5/24	0	0	0				0	0	0				0	0	0					
5/25	0	0	0				0	0	0				0	0	0					
5/26	0	0	0				0	0	0				0	1	0					
5/27	0	0	0				0	0	0				0	0	0					
5/28	0	0	0				0	0	0				0	2	0					
5/29	0	0	0				0	0	0				0	0	0					
5/30	0	0	0				0	0	0				0	2	0					
5/31	0	0	0				0	0	0				0	0	0					
月・日	セジロウカ						トビロウカ						ヒメトビウカ						コブノメイガ	
	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早	
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	フェロモン トラップA	フェロモン トラップB
6/1	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0		
6/2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6/3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6/4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6/5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6/6	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/7	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	0	33
6/8	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	11
6/9	0	0	2	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	5
6/10	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	28
6/11	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	3
6/12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8
6/13	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0
6/14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
6/15	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	1
6/16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
6/17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
6/18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/23	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
6/26	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
6/27	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
6/28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/30	13	0	0	0	15	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2

※白熱: 60W白熱灯(予察灯)
 ※ネット・ネットトラップA: 予察圃場横 ・ネットトラップB: 防除所横
 ※フェロモントラップA(4/19植え早期水稲に設置)、フェロモントラップB(6/7植え普通水稲に設置)
 ※データ欄の空欄は未調査、-は欠測

月・日	セジロウンカ						トビロウンカ						ヒメトビウンカ						コブノメイガ							
	諫早			佐世保			北有馬			岐宿			諫早			佐世保			北有馬			岐宿			諫早	
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	白熱	白熱	フェロモン トラップA	フェロモン トラップB			
7/1	8	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2	0	4	1			
7/2	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2			
7/3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	2	2			
7/4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	3	2			
7/5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1			
7/6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
7/7	0	1	1	0	2	0	0	0	0	0	0	0	0	1	0	1	0	2	0	2	0	2	0			
7/8	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	0	0	0			
7/9	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	0	0	0	0	0	1	0	0			
7/10	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
7/11	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1			
7/12	2	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	6			
7/13	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3			
7/14	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	7			
7/15	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2			
7/16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3			
7/17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1			
7/18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2			
7/19	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0			
7/20	74	3	-	0	4	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	4	0	0			
7/21	12	0	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
7/22	18	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
7/23	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0			
7/24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0			
7/25	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
7/26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7	2			
7/27	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
7/28	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0			
7/29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
7/30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	0			
7/31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0			

月・日	セジロウンカ						トビロウンカ						ヒメトビウンカ						コブノメイガ							
	諫早			佐世保			北有馬			岐宿			諫早			佐世保			北有馬			岐宿			諫早	
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	白熱	白熱	フェロモン ラップA	フェロモン ラップB			
8/1	1	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	2	0			
8/2	0	0	0	0	3	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	4	0			
8/3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0			
8/4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8	0			
8/5	1	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0			
8/6	0	-	-	0	0	0	0	-	-	0	0	2	0	-	-	0	0	0	0	0	0	0	1			
8/7	0	0	0	0	0	3	0	0	0	0	1	7	0	0	0	0	0	0	1	0	0	0	0			
8/8	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	2	1				
8/9	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	1	0				
8/10	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	1	0				
8/11	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0			
8/12	2	1	0	0	0	0	2	0	0	1	0	0	3	0	0	0	0	0	0	0	0	0	0			
8/13	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0			
8/14	0	-	-	0	0	0	0	-	-	0	0	0	-	-	0	0	0	0	0	0	1	1				
8/15	0	3	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0			
8/16	0	0	0	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	0	0			
8/17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0			
8/18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
8/19	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2			
8/20	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	7			
8/21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9			
8/22	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5			
8/23	3	0	0	0	10	6	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0			
8/24	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6	2				
8/25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3			
8/26	0	0	0	0	6	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	9	2				
8/27	0	0	0	0	2	1	0	1	0	4	0	0	1	1	0	0	0	0	0	0	2	9				
8/28	0	1	0	0	0	0	6	0	0	10	0	0	0	0	0	0	0	0	0	0	3	4				
8/29	0	0	0	0	1	3	0	0	0	1	1	0	0	0	0	0	0	0	0	0	5	3				
8/30	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0				
8/31	0	0	0	0	1	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	4	3				

※白熱: 60W白熱灯(予察灯)
 ※ネット・ネットラップA: 予察圃場横 - ネットラップB: 防除所横
 ※フェロモントラップA(4/19植え早期水稲に設置、7/ に普通期水稲(6/ 植え)に移動)、フェロモントラップB(6/7植え 普通期水稲に設置)
 ※データ欄の空欄は未調査、-は欠測

月・日	セジロウンカ						トビイロウンカ						ヒメトビウンカ						コブノメイガ							
	諫早			佐世保			北有馬			岐宿			諫早			佐世保			北有馬			岐宿			諫早	
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	フェロモントラップA	フェロモントラップB	
9/1	0	0	0	0	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	21	4		
9/2	0	0	0	0	3	1	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	8	1		
9/3	0	0	0	0	0	15	0	0	0	0	0	13	0	0	0	0	0	0	0	0	0	3	13	5		
9/4	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	6	0		
9/5	0	0	0	1	0	1	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0		
9/6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4			
9/7	1	0	0	3	0	28	0	0	0	0	0	27	0	0	0	0	0	0	0	0	1	0	0	0		
9/8	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	5	0		
9/9	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0		
9/10	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	15		
9/11	0	0	0	0	1	0	0	0	0	0	3	1	0	0	0	0	0	0	0	0	0	0	0	5		
9/12	1	0	0	1	2	0	0	1	0	0	4	3	0	0	0	0	0	0	0	0	0	0	0	0		
9/13	0	0	0	0	0	0	0	0	0	0	5	2	0	0	0	0	0	0	0	0	0	0	0	12		
9/14	0	0	0	0	0	0	0	0	0	0	3	1	0	0	0	0	0	0	0	0	0	0	0	0		
9/15	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0		
9/16	0	終了	終了	0	0	0	0	終了	終了	0	3	0	0	終了	終了	0	0	0	0	0	0	終了	終了	0		
9/17	0			0	0	0	0			0	1	0	0			0	0	0	0	0	0			0		
9/18	0			0	0	0	0			0		0	0			0	0	0	0	0	0			0		
9/19	0			0	0	0	0			0		0	0			0	0	0	0	0	0			0		
9/20	0			0	0	0	0			0		0	0			0	0	0	0	0	0			0		
9/21	0					0	0					0												0		
9/22	0					0	0				7	0												0		
9/23	0						0					0												0		
9/24	0						0					0												0		
9/25	0						16					0												0		
9/26	0						6					0												0		
9/27																										
9/28																										
9/29																										
9/30																										

※白熱: 60W白熱灯(予察灯)
 ※ネット・ネットトラップA: 予察圃場横 ・ネットトラップB: 防除所横
 ※フェロモントラップA(4/ 植え早期水稲に設置、7/ に普通期水稲(6/ 植え)に移動)、フェロモントラップB(6/ 植え 普通期水稲に設置)
 ※データ欄の空欄は未調査、-は欠測