

セジロウカ、トビロウカ、ヒメトビウカ、コブノメイガの誘殺状況(2020年)

月・日	セジロウカ						トビロウカ						ヒメトビウカ						コブノメイガ	
	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早	
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	フェロモン トラップA	フェロモン トラップB
5/1	0	0	0				0	0	0				0	0	0					
5/2	0	0	0				0	0	0				0	0	0					
5/3	0	0	0				0	0	0				0	0	0					
5/4	0	0	0				0	0	0				0	0	0					
5/5	0	0	0				0	0	0				0	0	0					
5/6	0	0	0				0	0	0				0	0	0					
5/7	0	0	0				0	0	0				0	0	0					
5/8	0	0	0				0	0	0				0	0	0					
5/9	0	0	0				0	0	0				0	0	0					
5/10	0	1	0				0	0	0				0	0	0					
5/11	0	0	0				0	0	0				0	0	0					
5/12	0	0	0				0	0	0				0	0	0					
5/13	0	0	0				0	0	0				0	0	0					
5/14	0	0	0				0	0	0				0	0	0					
5/15	1	0	0				0	0	0				0	0	0					
5/16	0	0	0				0	0	0				0	0	0					
5/17	0	0	0				0	0	0				0	0	0					
5/18	0	0	0				0	0	0				0	0	0					
5/19	0	0	0				0	0	0				0	0	0					
5/20	0	0	0				0	0	0				0	0	0					
5/21	0	1	0				0	0	0				0	0	0					
5/22	0	0	0				0	0	0				0	0	1					
5/23	0	0	0				0	0	0				0	1	0					
5/24	0	0	0				0	0	0				0	0	0					
5/25	0	0	0				0	0	0				0	0	0					
5/26	0	0	0				0	0	0				0	0	0					
5/27	0	0	0				0	0	0				0	0	0					
5/28	0	0	0				0	0	0				0	0	0					
5/29	0	0	0				0	0	0				0	1	0					
5/30	0	0	0				0	0	0				0	0	0					
5/31	0	0	0				0	0	0				0	0	0					
月・日	セジロウカ						トビロウカ						ヒメトビウカ						コブノメイガ	
	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早			佐世保	北有馬	岐宿	諫早	
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	フェロモン トラップA	フェロモン トラップB
6/1	0	0	0		0	0	0	0	0				0	0	0		0	0		0
6/2	0	0	0		0	0	0	0	0				0	0	0		0	0		0
6/3	3	0	0		0	0	0	0	0				0	0	0		0	0		0
6/4	0	0	0		0	0	0	0	0		0		0	0	0		0	0		0
6/5	1	0	0		0	0	0	0	0		0		0	0	0		0	0		0
6/6	0	0	0		0	0	0	0	0		0		0	0	0		0	0		0
6/7	0	0	0		3	0	0	0	0		0		0	0	0		0	0		0
6/8	0	0	0		1	0	0	0	0		0		0	0	0		0	0		2
6/9	0	0	0		0	2	0	0	0		0		0	0	0		0	0		1
6/10	0	0	0		0	2	0	0	0		0		0	0	0		0	0		2
6/11	20	0	0		0	0	4	1	0		0		0	0	0		0	0		52
6/12	30	0	0		0	0	0	2	0		0		0	0	0		0	0		13
6/13	1	0	-		0	0	0	0	0		0		0	0	0		0	0		19
6/14	12	0	1		0	0	0	1	0		0		0	0	0		0	0		13
6/15	16	0	0		0	1	0	0	0		0		0	0	0		0	0		41
6/16	1	0	1		0	0	1	0	0		0		0	0	0		0	0		32
6/17	2	0	0		0	1	0	0	0		0		0	0	0		0	0		31
6/18	2	0	0		40	0	1	0	0		0		0	0	0		0	0		16
6/19	0	1	0		61	0	0	0	0		0		0	1	0		0	0		24
6/20	0	0	1		65	0	0	0	0		0		0	0	0		0	0		26
6/21	1	0	0		19	0	0	0	0		0		0	0	0		0	0		14
6/22	3	1	0		6	0	-	0	0		1		0	1	0		0	0		12
6/23	2	1	0		4	0	-	0	0		0		0	0	0		0	0		14
6/24	0	3	0		2	0	-	0	0		0		0	0	0		1	0		1
6/25	0	1	0		8	0	-	0	0		3		0	1	0		0	0		14
6/26	31	1	0		4	0	-	0	0		0		1	2	0		0	0		5
6/27	18	1	0		3	1	-	6	0		0		1	0	0		0	2		7
6/28	7	0	0		0	0	-	1	1		0		0	0	0		0	0		25
6/29	5	6	1		1	0	-	0	1		1		0	2	0		0	0		21
6/30	2	1	0		0	1	-	4	0		0		0	1	0		0	0		32

※白熱: 60W白熱灯(予察灯)  
 ※ネット・ネットトラップA: 予察圃場横 ・ネットトラップB: 防除所横  
 ※フェロモントラップA(早期水稲 6/11に設置)、フェロモントラップB(6月5日田植えに6/16設置)  
 ※データ欄の空欄は未調査、-は欠測

月・日	セジロウカ						トビロウカ						ヒメトビウカ						コブノメイガ							
	諫早			佐世保			北有馬			岐宿			諫早			佐世保			北有馬			岐宿			諫早	
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	白熱	白熱	フェロモン トラップA	フェロモン トラップB			
7/1	2	0	1	10	0	-	1	0	0	0	0	-	0	0	0	0	0	0	0	0	0	11	14			
7/2	2	0	1	26	0	-	0	0	0	6	0	-	0	0	0	0	0	0	0	0	0	1	4			
7/3	49	0	0	0	9	-	11	0	0	0	2	-	1	0	0	0	0	0	0	0	0	2	2			
7/4	21	0	1	1	0	-	8	0	0	0	0	-	0	1	0	0	0	0	0	0	0	2	2			
7/5	88	2	3	0	0	-	72	1	0	0	0	-	0	0	0	0	0	0	0	0	0	2	9			
7/6	54	25	-	0	6	-	10	9	-	0	5	-	0	1	-	0	0	0	0	0	0	0	10			
7/7	19	4	5	15	2	-	3	2	3	2	1	-	0	0	0	0	0	0	0	0	0	0	13			
7/8	424	1	0	0	11	-	60	0	0	0	7	-	0	0	0	0	0	0	0	0	0	2	6			
7/9	16	2	0	1	2	-	13	0	0	0	0	-	0	0	0	0	0	0	0	0	0	6	5			
7/10	10	0	-	5	2	-	1	0	-	3	0	-	0	0	-	0	0	0	1	-	3	15				
7/11	67	0	0	9	5	-	19	0	0	3	3	-	0	0	0	0	0	0	0	0	0	11	6			
7/12	29	0	0	0	0	-	8	0	0	0	0	-	0	0	0	0	0	0	0	0	0	21	3			
7/13	0	7	0	0	0	-	0	0	0	0	1	-	0	0	0	0	0	0	0	0	0	1	16			
7/14	41	3	1	93	5	-	0	0	0	11	14	-	0	0	0	0	0	0	0	0	0	1	13			
7/15	28	0	0	54	2	-	0	0	0	8	0	-	0	0	0	2	0	0	0	0	0	3	8			
7/16	23	0	0	10	4	-	0	0	0	2	0	-	0	0	0	0	0	0	0	0	0	2	3			
7/17	9	0	1	0	2	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	5			
7/18	13	1	0	0	0	-	2	0	0	0	0	-	0	0	0	0	0	0	0	0	0	3	5			
7/19	1	0	0	2	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	2			
7/20	0	0	0	0	0	-	1	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	0			
7/21	1	0	0	0	0	-	0	0	0	0	2	-	0	0	0	0	0	0	0	0	0	0	2			
7/22	0	0	0	2	0	-	0	0	0	1	0	-	0	0	0	0	0	0	0	0	0	0	0			
7/23	7	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	2	3			
7/24	38	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	4	5			
7/25	40	0	1	0	2	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	3			
7/26	0	0	0	7	8	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	0			
7/27	24	2	0	0	0	-	0	0	1	0	0	-	0	0	0	0	0	0	0	0	0	0	0			
7/28	11	0	0	2	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	3	1			
7/29	5	0	0	0	0	-	2	0	0	0	0	-	0	0	0	0	0	0	0	0	0	4	0			
7/30	0	1	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	1	1			
7/31	3	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	1	0			
月・日	セジロウカ						トビロウカ						ヒメトビウカ						コブノメイガ							
	諫早			佐世保			北有馬			岐宿			諫早			佐世保			北有馬			岐宿			諫早	
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	白熱	白熱	フェロモン ラップA	フェロモン ラップB			
8/1	1	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	5	0			
8/2	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	1	9			
8/3	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	2	0			
8/4	0	0	0	2	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	0			
8/5	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	0			
8/6	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	2	2			
8/7	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	2	1			
8/8	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	2	0			
8/9	0	1	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	1			
8/10	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	0			
8/11	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	0			
8/12	0	0	0	0	0	-	0	0	0	2	0	-	0	0	0	0	0	0	0	0	0	0	0			
8/13	0	0	0	0	0	-	0	0	0	0	0	-	1	0	0	0	0	0	0	0	0	0	0			
8/14	0	0	0	0	0	-	0	0	0	1	0	-	0	0	0	0	0	0	0	0	0	0	0			
8/15	1	0	0	0	0	-	1	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	1			
8/16	0	0	0	0	0	-	1	0	0	0	0	-	0	0	0	0	0	0	0	0	0	1	5			
8/17	0	0	0	0	0	-	0	0	0	1	0	-	0	0	0	0	0	0	0	0	0	4	0			
8/18	0	1	0	0	0	-	1	0	0	0	0	-	0	0	0	0	0	0	0	0	0	7	0			
8/19	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	9	5			
8/20	0	0	0	0	0	-	0	0	0	0	0	-	1	0	0	0	0	0	0	0	0	2	10			
8/21	3	0	0	0	2	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	6	0			
8/22	1	3	0	0	3	-	0	0	0	0	1	-	0	0	0	0	0	0	0	0	0	8	0			
8/23	2	0	0	0	0	-	1	0	0	0	0	-	0	0	0	0	0	0	0	0	0	2	4			
8/24	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	6	5			
8/25	0	0	0	0	0	-	7	0	0	0	0	-	7	0	0	0	0	0	0	0	0	8	1			
8/26	0	0	0	0	0	-	0	0	0	0	2	-	0	0	0	0	0	0	0	0	0	1	0			
8/27	1	0	0	2	1	0	-	0	0	0	1	-	0	0	0	0	0	0	1	1	0	0	0			
8/28	2	0	0	0	0	4	-	1	0	0	0	-	0	0	0	0	0	0	0	0	2	3	1			
8/29	1	1	2	0	0	1	-	9	0	0	0	-	1	2	1	1	0	0	0	0	3	0	1			
8/30	3	0	1	0	0	0	-	4	0	0	0	-	4	5	0	0	0	0	1	0	7	0				
8/31	11	0	0	0	5	0	-	3	0	0	0	-	0	0	0	0	0	0	0	0	0	0	0			

※白熱: 60W白熱灯(予察灯)

※ネット・ネットラップA: 予察圃場横 - ネットラップB: 防除所横

※フェロモンラップA(4/19植え早期水稲に設置、7/13に普通期水稲(6/22植え)に移動)、フェロモンラップB(6/7植え 普通期水稲に設置)

※データ欄の空欄は未調査、-は欠測

月・日	セジロウシカ						トビロウシカ						ヒメトビウシカ						コブノメイガ							
	諫早			佐世保			北有馬			岐宿			諫早			佐世保			北有馬			岐宿			諫早	
	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	ネットA	ネットB	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	フェロモントラップA	フェロモントラップB
9/1	0	0	1	0	2	-	0	0	0	1	2	-	0	0	0	0	0	0	0	0	0	0	0	0	0	5
9/2	0	-	-	0	0	-	0	-	-	0	1	-	0	-	0	-	0	0	0	0	0	0	0	-	-	-
9/3	0	1	0	2	0	-	0	1	0	0	1	-	0	0	0	0	0	0	0	0	0	0	0	-	-	-
9/4	0	-	-	0	62	-	0	-	-	0	26	-	0	-	0	-	0	0	0	0	0	0	-	-	-	
9/5	0	-	-	0	0	-	0	-	-	0	0	-	0	-	0	-	0	0	0	0	0	0	-	-	-	
9/6	0	-	-	0	25	-	0	-	-	0	11	-	0	-	-	0	0	0	0	0	0	0	-	-	-	
9/7	2	-	-	0	3	0	0	-	-	0	4	5	0	-	-	0	0	0	0	0	0	0	-	-	-	
9/8	0	1	0	0	8	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	1	6	12	6	
9/9	0	0	0	-	1	0	0	0	0	-	0	2	0	0	0	0	-	0	1	1	1	1	4	4	4	
9/10	0	0	0	-	5	0	0	0	0	-	6	5	0	0	0	-	1	0	0	6	6	6	6	6	6	
9/11	0	0	0	-	1	2	0	0	0	-	5	48	0	0	0	-	0	0	11	16	16	16	16	16	16	
9/12	0	3	0	-	4	1	0	3	1	-	23	59	0	0	0	-	0	1	4	3	3	3	3	3	3	
9/13	0	0	0	-	1	0	0	0	0	-	5	15	0	0	0	-	0	0	2	6	6	6	6	6	6	
9/14	1	0	0	-	0	0	1	0	0	-	1	5	0	0	0	-	0	0	0	0	0	0	0	0	0	
9/15	3	0	0	-	0	0	6	0	0	-	6	1	0	0	0	-	0	1	2	9	9	9	9	9	9	
9/16	2	終了	終了	1	0	1	3	終了	終了	-	5	0	0	終了	終了	0	0	0	終了	終了	終了	終了	終了	終了	終了	終了
9/17	3			2	0	0	8				3	1	0			0	0	0								
9/18	0			2	1	1	1				36	8	6			0	0	0								
9/19	0			1	0	1	9				2	0	2			0	0	0								
9/20	0			0	1	0	5				0	0	2			0	0	1								
9/21	0			0	0	0	0				0	0	0			0	0	0								
9/22	0			0	0	0	7				0	0	0			0	0	0								
9/23	0			0	0	0	11				0	0	0			0	0	0								
9/24	0			0	0	0	0				1	0	0			0	0	0								
9/25	0			0	0	0	0				0	0	0			0	0	0								
9/26	0			0	0	0	0				0	0	0			0	0	0								
9/27	0			0	0	0	2				0	0	0			0	0	0								
9/28	0						0									0	0	0								
9/29	0						3									0	0	0								
9/30	0						0									0	0	0								

※白熱: 60W白熱灯(予察灯)

※ネット・ネットトラップA: 予察圃場横 - ネットトラップB: 防除所横

※フェロモントラップA(4/ 植え早期水稲に設置、7/ に普通期水稲(6/ 植え)に移動)、フェロモントラップB(6/ 植え 普通期水稲に設置)

※データ欄の空欄は未調査、-は欠測